

Instance Type ^{List} and Transmission

Notification (Transmission) of Original sent to SWIFT (ACK)

```

Network Delivery Status      : Network Ack

```

Priority/Delivery:  : Normal

Message Input Reference : 1847 190616EBLDBDDHAXXX7829950175

Message Header

Swift Input

: FIN 700 Issue of a Documentary Credit

Sender : EBLDBDHHXXX
EASTERN BANK LTD.
DHAKA BD

Receiver : CITITRIXXX
CITIBANK A. S.
ISTANBUL TR

MUR : 999MSOG191673U3Y

Message Text

27: Sequence of Total
1/1

40A: Form of Documentary Credit
IRREVOCABLE

20: Documentary Credit Number
147819021220

31C: Date of Issue
190616

40E: Applicable Rules
UCPURR LATEST VERSION

31D: Date and Place of Expiry
190828TURKEY

50: Applicant
TUSUKA STITCHES LTD
40/4 HAZRAT SHAHJAL
RAJANAGAR SATAISH, T
GAZIPUR, BANGLADESH

59: Beneficiary - Name & Address
EAE ELEKTRIK ASANSOR END. INSAAT
SAN VE TIC. A. S., AKCABURGAZ MAH.
3114 SOK. NO: 10 ESENYURT, ISTANBUL
TURKEY

32B: Currency Code: Amount
Currency : USD (US DOLLAR)
Amount : #475000.00

41A: Available With...By... - FI BIC
CITITRIX
CITIBANK A. S.
ISTANBUL TR
BY NEGOTIATION

42C: Drafts at...
100PCT 90 DAYS SIGHT

42A: Drawee - FI BIC

EBLDBDDH
EASTERN BANK LTD
DHAKA BD

**43P: Partial Shipments
ALLOWED**

43T: Transshipment
ALLOWED

44E: Port of Loading/Airport of Dep.
ANY SEAPORT IN TURKEY.

44F: Port of Discharge/Airport of Dest
CHATTOGRAM SEAPORT, BANGLADESH.

44C: Latest Date of Shipment
190813

45A: Description of Goods and/or Services
BRAND NEW CAPITAL MACHINERY (BUSBAR TRUNKING SYSTEM) FOR 100 PCT
EXPORT ORIENTED READYMADE GARMENTS INDUSTRY:

TOTAL QUANTITY: 1 SET
FOR TOTAL AMOUNT: USD 475,000.00 CFR CHATTOGRAM SEAPORT,
BANGLADESH (INCOTERMS 2010), ALL SPECIFICATIONS OF THE
MERCHANDISE ARE AS PER BENEFICIARY'S PROFORMA INVOICE NO.:
CWPL/BBT-19/0025 DATED 15-05-2019

46A: Documents Required

1) 2 ORIGINAL(S) AND 4 COPY(S)

BENEFICIARY'S SIGNED COMMERCIAL INVOICE. THE PRICE OF THE GOODS
AND FREIGHT CHARGE MUST APPEAR SEPARATELY IN COMMERCIAL INVOICE.

2) 3 ORIGINAL(S) AND 3 COPY(S)

FULL SET SHIPPED 'ON BOARD' BILL OF LADING MADE OUT/ENDORSED TO
THE ORDER OF EASTERN BANK LIMITED, TRADE OPERATIONS, HEAD OFFICE,
100 GULSHAN AVENUE, LEVEL 6, GULSHAN-2, DHAKA-1212, BANGLADESH
MARKED 'FREIGHT PREPAID' AND NOTIFY ISSUING BANK AND THE
APPLICANT. B/L MUST MENTION THE H.S. CODE ALONG WITH GOODS
NAME/DESCRIPTION.

3) 1 ORIGINAL(S) AND 1 COPY(S)

BENEFICIARY'S CERTIFICATE TO THE EFFECT THAT ALL MERCHANDISE
SUPPLIED UNDER THIS L/C ARE BRAND NEW, RUST FREE AND IN OPTIMAL
RUNNING CONDITION AND ARE STRICTLY IN ACCORDANCE WITH THEIR
PROFORMA INVOICE NO. CWPL/BBT-19/0025 DATED 15-05-2019.

4) 1 ORIGINAL(S) AND 1 COPY(S)

BENEFICIARY'S DRAFT AT 90 DAYS SIGHT COVERING 100 PCT INVOICE
VALUE.

5) 1 ORIGINAL(S) AND 1 COPY(S)

CERTIFICATE OF ORIGIN ISSUED BY THE CHAMBER OF COMMERCE OR ANY
GOVT. APPROVED AUTHORITY OF EXPORTING COUNTRY CERTIFYING THAT THE
MERCHANDISE ARE TURKEY ORIGIN WHICH MUST ACCOMPANY WITH ORIGINAL
SHIPPING DOCUMENTS

6) 2 ORIGINAL(S) AND 2 COPY(S)

DETAILED PACKING LIST. 'EXPORT STANDARD SEAWORTHY PACKING'-
SHOULD BE MENTIONED ON THE PACKING LIST.

7) 1 COPY(S)

DETAILS OF SHIPMENT UNDER THIS LC MUST BE ADVISED BY THE
BENEFICIARY WITHIN 07 (SEVEN) WORKING DAYS AFTER SHIPMENT DIRECT
TO THE APPLICANT (BY EMAIL TO SHANKAR AT TUSUKA DOT COM) AND TO
KARNAPHULI INSURANCE COMPANY LIMITED, HEAD OFFICE, BIMAN BHABAN
(3RD FLOOR), 100 MOTIJHEEL C/A, DHAKA-1000, BANGLADESH VIA EMAIL
TO RAKIBUBHUIYAN AT GMAIL DOT COM BY REFERRING TO THEIR COVER
NOTE NO.: KIC/DB/MC-00156/06/2019 DATED 16-06-2019 AND THIS LC
NUMBER. A COPY OF SUCH ADVICE MUST ACCOMPANY THE ORIGINAL
DOCUMENTS

8) 1 ORIGINAL(S) AND 1 COPY(S)

CERTIFICATE ISSUED BY THE CARRIER OR ITS AGENT CERTIFYING THAT
SHIPMENT/TRANSHIPMENT HAS BEEN EFFECTED ON REGULAR LINER VESSEL
BY COMPANIES HONOURING BANGLADESHI LAWS AND REGULATIONS REGARDING
VESSEL'S FLAGS, PORTS, SHIPMENTS AND TRANSHIPMENTS.

9) 1 ORIGINAL(S) AND 1 COPY(S)

EAE PRODUCTS USED IN ABOVE MENTIONED PROJECT ARE UNDER EAE'S
GUARANTEE AGAINST MANUFACTURING DEFECTS FOR 12 MONTHS AFTER
DISPATCHING FROM FACTORY UNDER THE CONDITIONS THAT EAE PRODUCTS
ARE UTILISED ACCORDING TO EAE CATALOGUES AND USER MANUALS. THIS
GUARANTEE DOES NOT COVER ANY FAULT THAT MAY BE CAUSED BECAUSE OF

MISUSE, WRONG INSTALLATION DIFFERENT ENVIRONMENTAL CONDITIONS OR ANY OTHER FAULT REASONS THAT MAY OCCUR DUE TO THE ACTS OF THIRD PARTIES IN THIS PERIOD.

47A: Additional Conditions

- 1) ALL DOCUMENTS MUST BEAR THIS L/C NUMBER WITH DATE AND NO DOCUMENTS SHOULD BE DATED EARLIER THAN THE DATE OF THIS L/C.
- 2) BANGLADESH H.S. CODE NOS. 8537.10.11, IRC NO. BA-012451 AND LCA NO. 187827 SHOULD APPEAR ON THE INVOICE.
- 3) 01 (ONE) SET OF NON-NEGOTIABLE SHIPPING DOCUMENTS MUST BE SENT DIRECTLY TO THE APPLICANT WITHIN 07 (SEVEN) DAYS FROM THE DATE OF SHIPMENT BY COURIER SERVICE OR EMAIL INSERT APPLICANT'S EMAIL ID). THE COURIER RECEIPT OR EMAIL RECEIPT AND A CERTIFICATE IN THIS REGARD MUST ACCOMPANY THE ORIGINAL DOCUMENTS
- 4) IMPORTER'S BIN: 001854781, TIN NO. 834514811610 AND CONSIGNEE'S (ISSUING BANK) BIN: 000001349 SHOULD BE SPECIFIED ON ALL SHIPPING DOCUMENTS.
- 5) USD 50.00 (US DOLLARS FIFTY) ONLY AS CHARGES FOR DISCREPANCY, IF ANY, AND USD 20.00 (US DOLLAR TWENTY) ONLY AS COST OF COMMUNICATION WILL BE DEDUCTED FROM THE BILL VALUE AT THE TIME OF PAYMENT.
- 6) ALL PARTIES RELATED TO THIS CREDIT MUST COMPLY WITH THE RESOLUTIONS OF UNITED NATIONS SECURITY COUNCIL REGARDING SANCTION ON COUNTRIES, INDIVIDUALS, ENTITIES AND OTHER GROUPS.
- 7) ALL DOCUMENTS MUST BE PRESENTED IN ENGLISH.
- 8) COUNTRY OF ORIGIN MUST BE MENTIONED CLEARLY ON THE BODY OF ALL PACKING UNITS. AT LEAST 2 PCT OF SUCH PACKING UNITS OF THE GOODS SHOULD BEAR FULL NAME, ADDRESS AND TI (TAX PAYER IDENTIFICATION) NUMBER: 834514811610 OF THE IMPORTER IN IRREMOVABLE INK.
- 9) CONFIRMATION TO BE ADDED AT REQUEST OF BENEFICIARY AT THEIR COST.

71D: Charges

ALL CHARGES OUTSIDE BANGLADESH INCLUDING REIMBURSEMENT AND CONFIRMATION CHARGES ARE ON ACCOUNT OF THE BENEFICIARY.

48: Period for Presentation in Days
15/WITHIN VALIDITY OF THE CREDIT

49: Confirmation Instructions
CONFIRM

53D: Reimbursing Bank -Name & Address
CITI BANK NA NEW YORK
CITIUS33

78: Instr to Payg/Acceptg/Negotg Bank

YOU ARE AUTHORISED TO CLAIM REIMBURSEMENT FOR THE AMOUNT OF YOUR NEGOTIATION ON MATURITY BY DRAWING OUR H.O. USD A/C NO. 36123328 MAINTAINED WITH CITIUS33 UNDER SWIFT ADVICE TO US (ATTN: HEAD OF IMPORT) 5 (FIVE) BANKING DAYS BEFORE CLAIMING REIMBURSEMENT CERTIFYING THAT DOCUMENTS NEGOTIATED ARE IN STRICT COMPLIANCE WITH CREDIT TERMS AND HAVE BEEN SENT TO US BY COURIER SERVICE. AMOUNT OF DRAFT NEGOTIATED SHOULD BE ENDORSED ON THE REVERSE SIDE OF THE CREDIT. REIMBURSEMENT CLAIM IS SUBJECT TO URR 725.

+DOCUMENTS TO BE SENT BY COURIER SERVICE TO:
EASTERN BANK LIMITED, TRADE OPERATIONS, HEAD OFFICE
100 GULSHAN AVENUE, LEVEL 6, GULSHAN-2, DHAKA-1212, BANGLADESH.

57D: 'Advise Through' Bank -Name&Addr
T.C. ZIRAAT BANKASI
SWIFT CODE: TCZBTR2A

72Z: Sender to Receiver Information

PLEASE ACKNOWLEDGE RECEIPT BY MT
730.

Message Trailer

{CHK: 0AFA67BFA015}

PKI Signature: MAC-Equivalent

No	PNO	CODE	DESCRIPTION	QTY.	Unit		
TUSUKA LAUNDRY AND STITCHES LTD							
POWER BBT-3200A (X-FORMER-2 TO LT)							
30	1	3013845	KXA 33504-B-P10-3200 A-BOLT-ON-PANEL CONNECTION-4W	1	PCS	276.742857	277
40	2	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1	M	361.885714	362
50	3	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	361.885714	362
60	4	3011997	KXA 33504-B-D-3200 A-BOLT-ON-DOWNWARDS ELBOW-4W	1	PCS	424.902857	425
70	5	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35	M	361.885714	127
80	6	3012081	KXA 33504-B-R-3200 A-BOLT-ON-RIGHT ELBOW-4W	2	PCS	555.177143	1110
90	7	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=1500, Quantity=1)	1.5	M	361.885714	543
100	8	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1	M	361.885714	362
110	9	3012081	KXA 33504-B-R-3200 A-BOLT-ON-RIGHT ELBOW-4W	1	PCS	555.177143	555
120	10	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=1700, Quantity=1)	1.7	M	361.885714	615
130	11	3012165	KXA 33504-B-L-3200 A-BOLT-ON-LEFT ELBOW-4W	1	PCS	555.177143	555
140	12	3011997	KXA 33504-B-D-3200 A-BOLT-ON-DOWNWARDS ELBOW-4W	1	PCS	424.902857	425
150	13	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=750, Quantity=1)	0.75	M	361.885714	271
160	14	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5	M	361.885714	181
170	15	3011913	KXA 33504-B-U-3200 A-BOLT-ON-UPWARDS ELBOW-4W	1	PCS	424.902857	425
180	16	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9	M	361.885714	326
190	17	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	361.885714	362
200	18	3015105	KXA 33504-B-TR31-3200 A-BOLT-ON-TRANSFORMER CONNECTION-4W	1	PCS	555.177143	555
210	0	3047863	3600-A FLEXIBLE SET (Set/Pcs=8)	1	SET	1986.975	1987
POWER BBT-2000A (DG TO SYNC PANEL)							
230	1	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W	1	PCS	173.542857	174
240	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7	M	226.262857	158
250	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=410, Quantity=1)	0.41	M	226.262857	93
260	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	226.262857	226
270	0	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1	PCS	266.811429	267
280	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=2200, Quantity=1)	2.2	M	226.262857	498
290	6	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35	M	226.262857	79
300	7	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	226.262857	226
310	8	3012153	KXA 20504-B-L-2000 A-BOLT-ON-LEFT ELBOW-4W	2	PCS	347.897143	696
320	12	3012069	KXA 20504-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	1	PCS	347.897143	348
330	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1700, Quantity=1)	1.7	M	226.262857	385
340	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=570, Quantity=1)	0.57	M	226.262857	129
350	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7	M	226.262857	158
360	0	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	2	PCS	266.811429	534
370	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6	M	226.262857	136
380	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=380, Quantity=2)	0.76	M	226.262857	172
390	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=450, Quantity=2)	0.9	M	226.262857	204
400	18	3015597	KXA 20504-B-B11-2000 A-BOLT-ON-FEEDER BOX-4W	1	PCS	332.4	332
401	0	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	0	PCS	220.445714	
POWER BBT-1250A (DG-440 KW-SYNC PNL)							
420	1	3013908	KXA 12504-B-P11-1250 A-BOLT-ON-PANEL CONNECTION-4W	1	PCS	160.274286	160
430	2	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7	M	148.125714	104
440	3	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5	M	148.125714	74
450	4	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=2)	0.8	M	148.125714	119
460	5	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35	M	148.125714	52
470	6	3011892	KXA 12504-B-U-1250 A-BOLT-ON-UPWARDS ELBOW-4W	1	PCS	173.497143	173
480	7	3012060	KXA 12504-B-R-1250 A-BOLT-ON-RIGHT ELBOW-4W	2	PCS	226.697143	453
490	8	3011574	KXA 12504-B-STD-1250 A-BOLT-ON-STANDARD LENGTH-4W	6	M	135.04	810
500	9	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9	M	148.125714	133
510	10	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	148.125714	296
520	11	3012060	KXA 12504-B-R-1250 A-BOLT-ON-RIGHT ELBOW-4W	1	PCS	226.697143	227
530	12	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	148.125714	296
540	13	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8	M	148.125714	119
550	14	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=430, Quantity=1)	0.43	M	148.125714	64
560	15	3011892	KXA 12504-B-U-1250 A-BOLT-ON-UPWARDS ELBOW-4W	2	PCS	173.497143	347
570	16	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6	M	148.125714	89
580	17	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	148.125714	148
590	18	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=1)	0.4	M	148.125714	59
600	19	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35	M	148.125714	52
610	20	3015588	KXA 12504-B-B11-1250 A-BOLT-ON-FEEDER BOX-4W	1	PCS	272.0875	272
611	0	3013908	KXA 12504-B-P11-1250 A-BOLT-ON-PANEL CONNECTION-4W	0	PCS	160.274286	
POWER BBT-1250A (DG-508 KW-SYNC PNL)							
630	1	3013908	KXA 12504-B-P11-1250 A-BOLT-ON-PANEL CONNECTION-4W	1	PCS	160.274286	160
640	2	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7	M	148.125714	104
650	3	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W	0.41	M	148.125714	61

			(X=410, Quantity=1)				
660	4	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	148.125714	148	
670	5	3011892	KXA 12504-B-U-1250 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	173.497143	173	
680	6	3012060	KXA 12504-B-R-1250 A-BOLT-ON-RIGHT ELBOW-4W	2 PCS	226.697143	453	
690	7	3011574	KXA 12504-B-STD-1250 A-BOLT-ON-STANDARD LENGTH-4W	3 M	135.04	405	
700	8	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=550, Quantity=1)	0.55 M	148.125714	81	
710	9	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=570, Quantity=1)	0.57 M	148.125714	84	
720	10	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=750, Quantity=1)	0.75 M	148.125714	111	
730	11	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=1700, Quantity=1)	1.7 M	148.125714	252	
740	12	3012060	KXA 12504-B-R-1250 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	226.697143	227	
750	13	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	148.125714	296	
760	14	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8 M	148.125714	119	
770	15	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=430, Quantity=1)	0.43 M	148.125714	64	
780	16	3011892	KXA 12504-B-U-1250 A-BOLT-ON-UPWARDS ELBOW-4W	2 PCS	173.497143	347	
790	17	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	148.125714	89	
800	18	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=380, Quantity=2)	0.76 M	148.125714	113	
810	19	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W (X=450, Quantity=2)	0.9 M	148.125714	133	
820	20	3015588	KXA 12504-B-B11-1250 A-BOLT-ON-FEEDER BOX-4W	1 PCS	272.0875	272	
821	0	3013908	KXA 12504-B-P11-1250 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2500A (SYNC PNL TO MTS-1	0 PCS	160.274286		
840	1	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301	
850	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288	
860	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
870	4	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339	
880	5	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	3 M	256.6	770	
890	6	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	288.08	101	
900	7	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339	
910	8	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288	
920	9	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
930	10	3013839	KXA 25504-B-P10-2500 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (SYNC PNL TO MTS-2	1 PCS	230.32	230	
950	1	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	173.542857	174	
960	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
970	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
980	4	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
990	5	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	3 M	207.611429	623	
1000	6	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	226.262857	79	
1010	7	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1020	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1030	9	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1040	10	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2500A (SYNC PNL TO MTS-3	1 PCS	220.445714	220	
1060	1	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301	
1070	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288	
1080	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
1090	4	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339	
1100	5	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	3 M	256.6	770	
1110	6	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	288.08	101	
1120	7	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339	
1130	8	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288	
1140	9	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
1150	10	3013839	KXA 25504-B-P10-2500 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (SYNC PNL TO MTS 5-SPARE	1 PCS	230.32	230	
1170	1	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	173.542857	174	
1180	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1190	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1200	4	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1210	5	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	3 M	207.611429	623	
1220	6	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	226.262857	79	
1230	7	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1240	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1250	9	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1260	10	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (LT TO PFI-1	1 PCS	220.445714	220	
1280	1	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	173.542857	174	
1290	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1300	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1310	4	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1320	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1300, Quantity=1)	1.3 M	226.262857	294	
1330	6	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1340	7	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W	1 M	226.262857	226	

			(X=1000, Quantity=1)				
1350	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1360	9	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (LT TO PFI-2	1 PCS	220.445714	220	
1380	1	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	173.542857	174	
1390	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1400	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1410	4	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1420	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1300, Quantity=1)	1.3 M	226.262857	294	
1430	6	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
1440	7	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	226.262857	226	
1450	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	226.262857	226	
1460	9	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2500A (LT PNL TO MTS-1	1 PCS	220.445714	220	
1480	1	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301	
1490	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	288.08	202	
1500	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=410, Quantity=1)	0.41 M	288.08	118	
1510	4	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
1520	5	3011907	KXA 25504-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	339.394286	339	
1530	6	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1800, Quantity=1)	1.8 M	288.08	519	
1540	7	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	288.08	259	
1550	8	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	288.08	173	
1560	9	3011907	KXA 25504-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	339.394286	339	
1570	10	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	288.08	202	
1580	11	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=410, Quantity=1)	0.41 M	288.08	118	
1590	12	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288	
1600	13	3013839	KXA 25504-B-P10-2500 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (LT PNL TO MTS-2	1 PCS	230.32	230	
1620	1	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	220.445714	220	
1630	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1180, Quantity=1)	1.18 M	226.262857	267	
1640	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	226.262857	113	
1650	4	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=2)	0.8 M	226.262857	181	
1660	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	226.262857	79	
1670	6	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	266.811429	267	
1680	7	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	3 M	207.611429	623	
1690	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	226.262857	158	
1700	9	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=2)	0.7 M	226.262857	158	
1710	10	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	266.811429	267	
1720	11	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1180, Quantity=1)	1.18 M	226.262857	267	
1730	12	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	226.262857	113	
1740	13	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=2)	0.8 M	226.262857	181	
1750	14	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	226.262857	79	
1760	15	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A (LT PNL TO MTS-5 SPARE	1 PCS	173.542857	174	
1780	1	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	220.445714	220	
1790	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	226.262857	158	
1800	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	226.262857	113	
1810	4	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=2)	0.8 M	226.262857	181	
1820	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=590, Quantity=1)	0.59 M	226.262857	133	
1830	6	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	266.811429	267	
1840	7	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=370, Quantity=1)	0.37 M	226.262857	84	
1850	8	3012069	KXA 20504-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	347.897143	348	
1860	9	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	6 M	207.611429	1246	
1870	10	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	226.262857	453	
1880	11	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1120, Quantity=1)	1.12 M	226.262857	253	
1890	12	3012069	KXA 20504-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	347.897143	348	
1900	13	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=590, Quantity=1)	0.59 M	226.262857	133	
1910	14	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	266.811429	267	
1920	15	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	226.262857	158	
1930	16	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	226.262857	113	
1940	17	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=2)	0.8 M	226.262857	181	
1950	18	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	226.262857	79	
1960	19	3013833	KXA 20504-B-P10-2000 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2500A (LT PNL TO MTS-3	1 PCS	173.542857	174	
1980	1	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301	
1990	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	288.08	202	
2000	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W	0.41 M	288.08	118	

			(X=410, Quantity=1)					
2010	4	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	288.08		288
			(X=500, Quantity=2)					
2020	5	3011907	KXA 25504-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W		1 PCS	339.394286		339
2030	6	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		0.35 M	288.08		101
			(X=350, Quantity=1)					
2040	7	3012075	KXA 25504-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W		1 PCS	433.5625		434
2050	8	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W		6 M	256.6		1540
2060	12	3012075	KXA 25504-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W		1 PCS	433.5625		434
2070	13	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		0.35 M	288.08		101
			(X=350, Quantity=1)					
2080	14	3011907	KXA 25504-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W		1 PCS	339.394286		339
2090	15	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		0.7 M	288.08		202
			(X=700, Quantity=1)					
2100	16	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		0.41 M	288.08		118
			(X=410, Quantity=1)					
2110	17	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	288.08		288
			(X=500, Quantity=2)					
2120	18	3013839	KXA 25504-B-P10-2500 A-BOLT-ON-PANEL CONNECTION-4W		1 PCS	230.32		230
			POWER BBT-1250A (MTS-3 TO UTILITY RISER					
2140	1	3013908	KXA 12504-B-P11-1250 A-BOLT-ON-PANEL CONNECTION-4W		1 PCS	160.274286		160
2150	2	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	148.125714		148
			(X=1000, Quantity=1)					
2160	3	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	148.125714		148
			(X=500, Quantity=2)					
2170	4	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		0.4 M	148.125714		59
			(X=400, Quantity=1)					
2180	5	3011976	KXA 12504-B-D-1250 A-BOLT-ON-DOWNWARDS ELBOW-4W		2 PCS	173.497143		347
2190	4	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		0.35 M	148.125714		52
			(X=350, Quantity=1)					
2200	6	3012144	KXA 12504-B-L-1250 A-BOLT-ON-LEFT ELBOW-4W		1 PCS	226.697143		227
2210	7	3011574	KXA 12504-B-STD-1250 A-BOLT-ON-STANDARD LENGTH-4W		3 M	135.04		405
2220	8	3011577	KXA 12504-P-STD-1250 A-PLUG-IN-STANDARD LENGTH-4W		3 M	148.125714		444
2230	9	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		0.8 M	148.125714		119
			(X=800, Quantity=1)					
2240	10	3011649	KXA 12504-B-X-1250 A-BOLT-ON-SPECIAL LENGTH-4W		0.47 M	148.125714		70
			(X=470, Quantity=1)					
2250	11	3012144	KXA 12504-B-L-1250 A-BOLT-ON-LEFT ELBOW-4W		2 PCS	226.697143		453
2260	12	3011649	KXA 12504-P-STD-1250 A-PLUG-IN-STANDARD LENGTH-4W		1 M	148.125714		148
			(X=500, Quantity=2)					
2270	13	3011892	KXA 12504-B-U-1250 A-BOLT-ON-UPWARDS ELBOW-4W		1 PCS	173.497143		173
2280	14	3011577	KXA 12504-P-STD-1250 A-PLUG-IN-STANDARD LENGTH-4W		3 M	148.125714		444
2290	15	3011652	KXA 12504-P-X-1250 A-PLUG-IN-SPECIAL LENGTH-4W		2 M	162.857143		326
			(X=1000, Quantity=2)					
2300	16	3013404	KXA 12504-B-TYR-1250 A-BOLT-ON-RIGHT SIDE FEEDER 'T'-4W		1 PCS	453.097143		453
2310	17	3011976	KXA 12504-B-D-1250 A-BOLT-ON-DOWNWARDS ELBOW-4W		1 PCS	173.497143		173
2320	18	3015757	KXA 12504-B-R08-1250 A-BOLT-ON-REDUCTION-4W		1 PCS	153.862857		154
2330	19	3011565	KXA 08504-P-STD-800 A-PLUG-IN-STANDARD LENGTH-4W		9 M	97.4971429		877
2340	20	3011970	KXA 08504-B-D-800 A-BOLT-ON-DOWNWARDS ELBOW-4W		1 PCS	113.325714		113
2350	21	3011565	KXA 08504-P-STD-800 A-PLUG-IN-STANDARD LENGTH-4W		3 M	97.4971429		292
2360	22	3011640	KXA 08504-P-X-800 A-PLUG-IN-SPECIAL LENGTH-4W		1 M	107.497143		107
			(X=1000, Quantity=1)					
2370	23	3011637	KXA 08504-B-X-800 A-BOLT-ON-SPECIAL LENGTH-4W		0.9 M	97.4971429		88
			(X=450, Quantity=2)					
2380	24	3011970	KXA 08504-B-D-800 A-BOLT-ON-DOWNWARDS ELBOW-4W		1 PCS	113.325714		113
2390	25	3011565	KXA 08504-P-STD-800 A-PLUG-IN-STANDARD LENGTH-4W		6 M	97.4971429		585
2400	26	3011640	KXA 08504-P-X-800 A-PLUG-IN-SPECIAL LENGTH-4W		1 M	107.497143		107
			(X=1000, Quantity=1)					
2410	27	3011637	KXA 08504-B-X-800 A-BOLT-ON-SPECIAL LENGTH-4W		0.7 M	97.4971429		68
			(X=350, Quantity=2)					
2420	28	3011970	KXA 08504-B-D-800 A-BOLT-ON-DOWNWARDS ELBOW-4W		1 PCS	113.325714		113
2430	29	3011565	KXA 08504-P-STD-800 A-PLUG-IN-STANDARD LENGTH-4W		18 M	97.4971429		1755
2440	30	3011637	KXA 08504-B-X-800 A-BOLT-ON-SPECIAL LENGTH-4W		0.8 M	97.4971429		78
			(X=400, Quantity=2)					
2450	31	3016699	KX-08A/10C-END CLOSER-4W-4.5W-5W (6*55)		1 PCS	18.4		18
2460	32	3015757	KXA 12504-B-R08-1250 A-BOLT-ON-REDUCTION-4W		1 PCS	153.862857		154
2470	33	3066423	KXA 08604-B-R05-800 A-BOLT-ON-REDUCTION-4W		1 PCS	144.445714		144
2480	34	3064342	KXA 05504-P-STD-500 A-PLUG-IN-STANDARD LENGTH-4W		6 M	68.1257143		409
2490	35	3064343	KXA 05504-P-X-500 A-PLUG-IN-SPECIAL LENGTH-4W		2 M	74.9485714		150
			(X=1000, Quantity=2)					
2500	36	3066131	KX-05A/06C-END CLOSER-4W-4.5W-5W (6*30)		1 PCS	17.6		18
2510	37	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W		6 PCS	69.7877095		419
2520	38	3024741	MKA 1654-STD-160 A-STANDARD LENGTH-4W		189 M	23.273743		4399
2530	39	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		9 M	28.5714286		257
			(X=1000, Quantity=9)					
2540	40	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		0.9 M	28.5714286		26
			(X=900, Quantity=1)					
2550	41	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		0.8 M	28.5714286		23
			(X=800, Quantity=1)					
2560	42	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		1.2 M	28.5714286		34
			(X=600, Quantity=2)					
2570	43	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		1.5 M	28.5714286		43
			(X=500, Quantity=3)					
2580	44	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W		1.4 M	28.5714286		40
			(X=700, Quantity=2)					
2590	45	3024724	MKC 2254-FD-225 A-FLEXIBLE ELBOW-4W		10 PCS	171.862857		1719
2600	46	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)		136 PCS	3.05142857		415
2610	47	3016516	KXP 2551-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36kA MCCB (ABB Brand))		5 PCS	411.2		2056
2620	48	3016508	KXP 1651-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 160A TP 36kA MCCB (ABB Brand))		5 PCS	268.4		1342
2630	48	3016508	KXP 1651-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 160A TP 36kA MCCB (ABB Brand))		4 PCS	268.4		1074
2640	50	3024569	MKP 8054-M-80 A-TAP-OFF BOX-(3x63A) ABB MCB-4W		10 PCS	99.4514286		995
2650	51	3024627	MKP 4054-M-40 A-TAP-OFF BOX-(3x32A) ABB MCB-4W		5 PCS	84.5028571		423
2660	52	3024629	MKP 4054-M-40 A-TAP-OFF BOX-(3x20A) ABB MCB-4W		10 PCS	82.5142857		825
2670	53	3024668	MKP 1654-M-16 A-TAP-OFF BOX-(3x16A) ABB MCB-4W		10 PCS	49.8742857		499
2680	54	3024671	MKP 1654-M-16 A-TAP-OFF BOX-(3x10A) ABB MCB-4W		5 PCS	49.8742857		249
2690	55	3024674	MKP 1654-M-16 A-TAP-OFF BOX-(3x6A) ABB MCB-4W		20 PCS	49.8742857		997
2700	56	3024665	MKP 4054-B-40 A-TAP-OFF BOX-EMPTY-SUITABLE FOR MCB-4W (Equipped With 3PCS X 20A SP ABB(S201-C20)MCB		20 PCS	67.575419		1352
			PWR BBT-2500A(MTS-1)-STITCH BLDNG-2-RISER					
			IP55					
2730	1	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	288.08		288
			(X=1000, Quantity=1)					
2740	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		1 M	288.08		288
			(X=500, Quantity=2)					
2750	3	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W		24 M	256.6		6158
2760	4	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W		2 M	288.08		576

			(X=1000, Quantity=2)				
2770	5	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	288.08	101	
2780	6	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	288.08	173	
			IP67				
2800	1	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	323.394286	162	
2810	2	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=500, Quantity=1)	0.5 M	44.7314286	22	
2820	3	3018627	KXA 25604-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	2 PCS	380.994286	762	
2830	4	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23	
2840	5	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	323.394286	291	
2850	6	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=900, Quantity=1)	0.9 M	44.7314286	40	
2860	7	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	323.394286	194	
2870	8	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=600, Quantity=1)	0.6 M	44.7314286	27	
2880	9	3018711	KXA 25604-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	2 PCS	380.994286	762	
2890	10	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23	
2900	11	3018459	KXA 25604-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	3 M	293.074286	879	
2910	12	3025227	KX-25A/26C/32C-STANDARD LENGTH CANOPY	3 M	44.7314286	134	
2920	13	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	323.394286	323	
2930	14	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=500, Quantity=2)	1 M	44.7314286	45	
2940	15	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	323.394286	194	
2950	16	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=600, Quantity=1)	0.6 M	44.7314286	27	
2960	17	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	323.394286	113	
2970	18	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=350, Quantity=1)	0.35 M	44.7314286	16	
2980	19	3018711	KXA 25604-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	380.994286	381	
2990	20	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23	
3000	21	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	323.394286	291	
3010	22	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=900, Quantity=1)	0.9 M	44.7314286	40	
3020	23	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	323.394286	194	
3030	24	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=600, Quantity=1)	0.6 M	44.7314286	27	
3040	25	3018627	KXA 25604-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	380.994286	381	
3050	26	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23	
3060	27	3018795	KXA 25604-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	495.188571	495	
3070	28	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35	
3080	29	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	323.394286	162	
3090	30	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=500, Quantity=1)	0.5 M	44.7314286	22	
3100	31	3018879	KXA 25604-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	495.188571	495	
3110	32	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35	
3120	33	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	323.394286	323	
3130	34	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=1000, Quantity=1)	1 M	44.7314286	45	
3140	35	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8 M	323.394286	259	
3150	36	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=800, Quantity=1)	0.8 M	44.7314286	36	
3160	37	3018879	KXA 25604-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	495.188571	495	
3170	38	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35	
			IP55				
3190	1	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	288.08	576	
3200	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	288.08	101	
3210	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288	
3220	4	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	288.08	144	
3230	5	3028220	KOA 0254-II-B1-250 A-FEEDER BOX-4W	1 PCS	88.6592179	89	
3240	6	3028210	KOA 0154-II-B1-160 A-FEEDER BOX-4W	2 PCS	77.7765363	156	
3250	7	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	3 PCS	69.7877095	209	
3260	8	3030299	KOP 0851-M-80 A-TAP-OFF BOX-(3x63A) ABB MCB-5W (Equipped With 1PCS X 63A TP ABB(S203-C63)MCB	4 PCS	117.177143	469	
3270	9	3024569	MKP 8054-M-80 A-TAP-OFF BOX-(3x63A) ABB MCB-4W (Equipped With 1PCS X 63A TP ABB(S203-C63)MCB	4 PCS	99.4514286	398	
3280	10	3030193	KOP 2551-II-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36ka MCCB (ABB Brand))	1 PCS	363.22905	363	
3290	0	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	220.445714	220	
3300	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	226.262857	113	
3310	0	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267	
3320	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=400, Quantity=1)	0.4 M	226.262857	91	
3330	0	3012069	KXA 20504-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	347.897143	348	
3340	0	3011595	KXA 20504-P-STD-2000 A-PLUG-IN-STANDARD LENGTH-4W	6 M	226.262857	1358	
3350	0	3011901	KXA 20504-B-U-2000 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	266.811429	267	
3360	0	3011664	KXA 17504-P-X-1600 A-PLUG-IN-SPECIAL LENGTH-4W (X=1400, Quantity=1)	1.4 M	208.822857	292	
3370	0	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	226.262857	136	
3380	0	3013749	KXA 20504-B-DDT-2000 A-BOLT-ON-VERTICAL EXPANSION-4W	1 PCS	202.0625	202	
3390	0	3011595	KXA 20504-P-STD-2000 A-PLUG-IN-STANDARD LENGTH-4W	3 M	226.262857	679	
3400	0	3011670	KXA 20504-P-X-2000 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	249.771429	250	
3410	0	3015797	KXA 20504-B-R17-2000 A-BOLT-ON-REDUCTION-4W	1 PCS	281.177143	281	
3420	0	3013746	KXA 17504-B-DDT-1600 A-BOLT-ON-VERTICAL EXPANSION-4W	2 PCS	173.154286	346	
3430	0	3011589	KXA 17504-P-STD-1600 A-PLUG-IN-STANDARD LENGTH-4W	6 M	190.765714	1145	
3440	0	3011664	KXA 17504-P-X-1600 A-PLUG-IN-SPECIAL LENGTH-4W (X=1100, Quantity=1)	1.1 M	208.822857	230	
3450	0	3011664	KXA 17504-P-X-1600 A-PLUG-IN-SPECIAL LENGTH-4W (X=1200, Quantity=1)	1.2 M	208.822857	251	

3460	0	3011661	KXA 17504-B-X-1600 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=2)	0.7 M	190.765714	134
3470	0	3011661	KXA 17504-B-X-1600 A-BOLT-ON-SPECIAL LENGTH-4W (X=450, Quantity=2)	0.9 M	190.765714	172
3480	0	3016705	KX-17A-END CLOSER-4W-4.5W-5W (6*160)	1 PCS	21.8971429	22
3490	0	3016508	KXP 1651-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1C 100A TP 25kA MCCB (ABB Brand))	2 PCS	268.4	537
3500	0	3016516	KXP 2551-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36kA MCCB (ABB Brand))	1 PCS	411.2	411
3510	0	3016516	KXP 2551-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36kA MCCB (ABB Brand))	4 PCS	411.2	1645
3520	0	3016532	KXP 6351-630 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with T6N 500A TP 36kA MCCB (ABB Brand)) PWR BBT-2500A(MTS-2-STITCH BLDG-1 RISER)	4 PCS	1015.65714	4063
3540	1	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301
3550	2	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288
3560	3	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	288.08	288
3570	4	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339
3580	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=1)	0.35 M	288.08	101
3590	0	3012159	KXA 25504-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	433.5625	434
3600	0	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	6 M	256.6	1540
3610	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	288.08	288
3620	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=2)	1.2 M	288.08	346
3630	0	3012159	KXA 25504-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	433.5625	434
3640	0	3011604	KXA 25504-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	9 M	256.6	2309
3650	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1070, Quantity=1)	1.07 M	288.08	308
3660	0	3012075	KXA 25504-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	433.5625	434
3670	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1) IP67	1 M	288.08	288
3690	1	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=760, Quantity=1)	0.76 M	323.394286	246
3700	2	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=760, Quantity=1)	0.76 M	44.7314286	34
3710	3	3018879	KXA 25604-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	2 PCS	495.188571	990
3720	4	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35
3730	5	3018459	KXA 25604-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	3 M	293.074286	879
3740	6	3025227	KX-25A/26C/32C-STANDARD LENGTH CANOPY	3 M	44.7314286	134
3750	7	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=2000, Quantity=1)	2 M	323.394286	647
3760	8	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=2000, Quantity=1)	2 M	44.7314286	89
3770	9	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1500, Quantity=1)	1.5 M	323.394286	485
3780	10	3025227	KX-25A/26C/32C-STANDARD LENGTH CANOPY	1.5 M	44.7314286	67
3790	11	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	323.394286	323
3800	12	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=1000, Quantity=1)	1 M	44.7314286	45
3810	13	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=480, Quantity=1)	0.48 M	323.394286	155
3820	14	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=480, Quantity=1)	0.48 M	44.7314286	21
3830	0	3018795	KXA 25604-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W	2 PCS	495.188571	990
3840	0	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35
3850	15	3018627	KXA 25604-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	2 PCS	380.994286	762
3860	16	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23
3870	17	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	323.394286	291
3880	18	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=900, Quantity=1)	0.9 M	44.7314286	40
3890	19	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	323.394286	194
3900	20	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=600, Quantity=1)	0.6 M	44.7314286	27
3910	21	3018711	KXA 25604-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	2 PCS	380.994286	762
3920	22	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23
3930	23	3018459	KXA 25604-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	6 M	293.074286	1758
3940	24	3025227	KX-25A/26C/32C-STANDARD LENGTH CANOPY	6 M	44.7314286	268
3950	25	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	323.394286	647
3960	26	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=2000, Quantity=1)	2 M	44.7314286	89
3970	27	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=720, Quantity=1)	0.72 M	323.394286	233
3980	28	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=720, Quantity=1)	0.72 M	44.7314286	32
3990	29	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	323.394286	291
4000	30	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=900, Quantity=1)	0.9 M	44.7314286	40
4010	0	3018711	KXA 25604-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	2 PCS	380.994286	762
4020	0	3025273	KX-25A/32C-VERTICAL ELBOW CANOPY	1 PCS	22.7314286	23
4030	0	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	323.394286	291
4040	0	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=900, Quantity=1)	0.9 M	44.7314286	40
4050	0	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	323.394286	194
4060	0	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=600, Quantity=1)	0.6 M	44.7314286	27
4070	0	3018627	KXA 25604-B-U-2500 A-BOLT-ON-UPWARDS ELBOW-4W	1 PCS	380.994286	381
4080	0	3025272	KX-20-21A/25-26C-VERTICAL ELBOW CANOPY	1 PCS	20.6628571	21
4090	0	3018795	KXA 25604-B-R-2500 A-BOLT-ON-RIGHT ELBOW-4W	2 PCS	495.188571	990
4100	0	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY	1 PCS	35.1085714	35
4110	0	3018459	KXA 25604-B-STD-2500 A-BOLT-ON-STANDARD LENGTH-4W	6 M	293.074286	1758
4120	0	3025227	KX-25A/26C/32C-STANDARD LENGTH CANOPY	6 M	44.7314286	268
4130	0	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	323.394286	323
4140	0	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=1000, Quantity=1)	1 M	44.7314286	45
4150	0	3018498	KXA 25604-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8 M	323.394286	259

4160	0	3025297	KX-25A/32C-SPECIAL LENGTH CANOPY (X=800, Quantity=1)	0.8 M	44.7314286	36
4170	0	3018879	KXA 25604-B-L-2500 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	495.188571	495
4180	0	3025262	KX-25A/32C-HORIZONTAL ELBOW CANOPY IP55	1 PCS	35.1085714	35
4200	3	3011607	KXA 25504-P-STD-2500 A-PLUG-IN-STANDARD LENGTH-4W	6 M	283.1375	1699
4210	4	3011682	KXA 25504-P-X-2500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	310.575	621
4220	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=480, Quantity=2)	0.96 M	288.08	277
4230	0	3011991	KXA 25504-B-D-2500 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	339.394286	339
4240	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=1200, Quantity=1)	1.2 M	288.08	346
4250	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8 M	288.08	230
4260	0	3013839	KXA 25504-B-P10-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	230.32	230
4270	0	3013923	KXA 25504-B-P11-2500 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	301.04	301
4280	0	3011682	KXA 25504-P-X-2500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1400, Quantity=1)	1.4 M	310.575	435
4290	0	3011679	KXA 25504-B-X-2500 A-BOLT-ON-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	288.08	173
4300	0	3013755	KXA 25504-B-DDT-2500 A-BOLT-ON-VERTICAL EXPANSION-4W	1 PCS	255.6875	256
4310	0	3011595	KXA 20504-P-STD-2000 A-PLUG-IN-STANDARD LENGTH-4W	3 M	226.262857	679
4320	0	3011670	KXA 20504-P-X-2000 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	249.771429	250
4330	0	3015797	KXA 20504-B-R17-2000 A-BOLT-ON-REDUCTION-4W	1 PCS	281.177143	281
4340	0	3013746	KXA 17504-B-DDT-1600 A-BOLT-ON-VERTICAL EXPANSION-4W	2 PCS	173.154286	346
4350	0	3011589	KXA 17504-P-STD-1600 A-PLUG-IN-STANDARD LENGTH-4W	6 M	190.765714	1145
4360	0	3011664	KXA 17504-P-X-1600 A-PLUG-IN-SPECIAL LENGTH-4W (X=1100, Quantity=1)	1.1 M	208.822857	230
4370	0	3011664	KXA 17504-P-X-1600 A-PLUG-IN-SPECIAL LENGTH-4W (X=1200, Quantity=1)	1.2 M	208.822857	251
4380	0	3011661	KXA 17504-B-X-1600 A-BOLT-ON-SPECIAL LENGTH-4W (X=350, Quantity=2)	0.7 M	190.765714	134
4390	0	3011661	KXA 17504-B-X-1600 A-BOLT-ON-SPECIAL LENGTH-4W (X=450, Quantity=2)	0.9 M	190.765714	172
4400	0	3016705	KX-17A-END CLOSER-4W-4.5W-5W (6*160)	1 PCS	21.8971429	22
4410	17	3016508	KXP 1651-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 160A TP 36kA MCCB (ABB Brand))	2 PCS	268.4	537
4420	13	3016516	KXP 2551-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36kA MCCB (ABB Brand))	1 PCS	411.2	411
4430	24	3016516	KXP 2551-250 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT3N 250A TP 36kA MCCB (ABB Brand))	4 PCS	411.2	1645
4440	25	3016532	KXP 6351-630 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with T6N 500A TP 36kA MCCB (ABB Brand)) GND FL POWER BBT 250A & 63A (BLDG-01)	4 PCS	1015.65714	4063
4460	1	3028220	KOA 0254-II-B1-250 A-FEEDER BOX-4W	1 PCS	88.6592179	89
4470	2	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	6 M	48.0111732	288
4480	4	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1 PCS	68.9385475	69
4490	2	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	36 M	48.0111732	1728
4500	3	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	52.8044693	106
4510	4	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1 PCS	68.9385475	69
4520	5	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	3 M	48.0111732	144
4530	6	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	52.8044693	53
4540	7	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=400, Quantity=1)	0.4 M	52.8044693	21
4550	8	3026802	KOA 0254-II-R-250 A-RIGHT ELBOW-4W	1 PCS	68.9385475	69
4560	9	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	12 M	48.0111732	576
4570	10	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=900, Quantity=1)	0.9 M	52.8044693	48
4580	11	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	52.8044693	26
4590	12	3026802	KOA 0254-II-R-250 A-RIGHT ELBOW-4W	1 PCS	68.9385475	69
4600	13	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	3 M	48.0111732	144
4610	14	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1300, Quantity=1)	1.3 M	52.8044693	69
4620	15	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=400, Quantity=1)	0.4 M	52.8044693	21
4630	16	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1 PCS	68.9385475	69
4640	17	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	9 M	48.0111732	432
4650	18	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=800, Quantity=1)	0.8 M	52.8044693	42
4660	19	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1 PCS	68.9385475	69
4670	20	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	15 M	48.0111732	720
4680	21	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	57 PCS	2.8603352	163
4690	22	3028870	KOA 0254-II-RD1-250 A-REDUCTION-4W	1 PCS	81.0837989	81
4700	23	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	36 M	44.0111732	1584
4710	24	3029902	KO-II-1AI/2Cu END CLOSER	1 PCS	12.5698324	13
4720	25	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	24 PCS	2.8603352	69
4730	26	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1 PCS	69.7877095	70
4740	27	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	30 M	21.0949721	633
4750	28	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	25.3072626	25
4760	29	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	20 PCS	3.05142857	61
4770	30	3025100	KAP 0605-BB-63 A-FEEDER BOX-5W	1 PCS	15.7877095	16
4780	31	3025078	KAP 0604-STD-63 A-STANDART LENGHT-4 WINDOW-4W	24 M	13.452514	323
4790	32	3024411	KAP 0605-FD-63 A-FLEXIBLE ELBOW-5W	1 PCS	39.4189944	39
4800	33	3025078	KAP 0604-STD-63 A-STANDART LENGHT-4 WINDOW-4W	6 M	13.452514	81
4810	34	3025094	KAP 0604-X-63 A-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	16.5142857	17
4820	35	3025160	KAM-KAP MOUNTING JOINT SET	11 SET	1.27374302	14
4830	36	1004283	KAM/KAP/DL-FIXING BRACKET 'L' TYPE	21 SET	1.19553073	25
4840	37	3025109	KAP-32 A- TAP-OFF BOX WITH MCB (EMPTY) (Equipped With 3PCS X 20A SP ABB(S201-C20)MCB For Light	5 PCS	42.0111732	210
4850	0	3028210	KOA 0154-II-B1-160 A-FEEDER BOX-4W	1 PCS	77.7765363	78
4860	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	42 M	44.0111732	1848
4870	0	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	48.4022346	97
4880	0	3026792	KOA 0154-II-R-160 A-RIGHT ELBOW-4W	1 PCS	61.5375	62
4890	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	36 M	44.0111732	1584
4900	0	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	48.4022346	97
4910	0	3026792	KOA 0154-II-R-160 A-RIGHT ELBOW-4W	1 PCS	61.5375	62
4920	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	3 M	44.0111732	132
4930	0	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	48.4022346	29
4940	0	3026902	KOA 0154-II-L-160 A-LEFT ELBOW-4W	1 PCS	63.9542857	64
4950	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	12 M	44.0111732	528

4960	0	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=900, Quantity=2)	1.8 M	48.4022346	87
4970	0	3026902	KOA 0154-II-L-160 A-LEFT ELBOW-4W	1 PCS	63.9542857	64
4980	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	3 M	44.0111732	132
4990	0	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	48.4022346	29
5000	0	3026792	KOA 0154-II-R-160 A-RIGHT ELBOW-4W	1 PCS	61.5375	62
5010	0	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	39 M	44.0111732	1716
5020	0	3029902	KO-II-1AI/2Cu END CLOSER	1 PCS	12.5698324	13
5030	0	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	99 PCS	2.8603352	283
5040	0	3030308	KOP 0451-M-40 A-TAP-OFF BOX-(3x6A) ABB MCB-5W	20 PCS	77.84	1557
5050	57	3024668	MKP 1654-M-16 A-TAP-OFF BOX-(3x16A) ABB MCB-4W	10 PCS	49.8742857	499
5060	58	3132895	KOP 0451-M-40 A-TAP-OFF BOX-3(1x20A) ABB MCB-5W	25 PCS	75.8857143	1897
5070	59	3133415	KOP 0451-M-40 A-TAP-OFF BOX-3(1x25A) ABB MCB-5W	7 PCS	68.5714286	480
5080	60	3030299	KOP 0851-M-80 A-TAP-OFF BOX-(3x63A) ABB MCB-5W	5 PCS	117.177143	586
5090	0	3030299	KOP 0851-M-80 A-TAP-OFF BOX-(3x63A) ABB MCB-5W	5 PCS	117.177143	586
5100	47	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36kA MCCB (ABB Brand)) GND FL LIGHTING BBT 25A (BLDG-1)	6 PCS	225.486034	1353
5120	1	3025062	KAM 0205-BB-25 A-FEEDER BOX-5W	30 PCS	9.6424581	289
5130	2	3048572	KAM 0204-STD-25 A-STANDART LENGHT-6 WINDOW-4W	48 M	8	384
5140	3	3025046	KAM 0204-STD-25 A-STANDART LENGHT-4 WINDOW-4W	510 M	6.36871508	3248
5150	4	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W (X=1000, Quantity=8)	8 M	7.6424581	61
5160	5	3024547	KAM 10-B-10 A-TAP-OFF PLUG-L3	150 PCS	3.38547486	508
5170	6	3024548	KAM 10-B-10 A-TAP-OFF PLUG-L2	150 PCS	3.38547486	508
5180	7	3024549	KAM 10-B-10 A-TAP-OFF PLUG-L1	150 PCS	3.38547486	508
5190	8	3024614	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L3	15 PCS	6.69714286	100
5200	9	3024615	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L2	15 PCS	6.69714286	100
5210	10	3024616	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L1	15 PCS	6.69714286	100
5220	11	3025160	KAM-KAP MOUNTING JOINT SET	194 SET	1.27374302	247
5230	12	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	378 SET	1.19553073	452
5240	13	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET GND FL CUTTING BBT 35A (BLDG-1)	900 SET	0.72625698	654
5260	1	3025149	TB FEEDER UNIT	4 PCS	16.8	67
5270	2	3025004	TB 034 TROLLEY BUSBAR (4P-35A)	112 M	28	3136
5280	3	1004256	TB JOINT UNIT	32 SET	2.8	90
5290	4	1004257	TB SLIDING HANGER	88 SET	1.6	141
5300	5	3025147	TB END CLOSER	4 PCS	5.6	22
5310	6	3025145	TB CURRENT COLLECTOR (4P-35A)	20 PCS	72	1440
5320	7	3025151	TB CONDUCTOR CASSETTE	2 PCS	21.6	43
5330	8	3025143	TB CONDUCTOR MOUNTING TOOL 1ST FL POWER BBT 500A & 100A (BLDG-01)	1 PCS	10.4	10
5350	1	3028250	KOA 0554-II-B1-500 A-FEEDER BOX-4W	1 PCS	106.331429	106
5360	2	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	6 M	77.7485714	466
5370	3	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	85.52	43
5380	4	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1 PCS	94.5028571	95
5390	2	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	24 M	77.7485714	1866
5400	3	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	85.52	171
5410	3	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	85.52	51
5420	4	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1 PCS	94.5028571	95
5430	5	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	3 M	77.7485714	233
5440	6	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7 M	85.52	60
5450	7	3026832	KOA 0554-II-R-500 A-RIGHT ELBOW-4W	1 PCS	94.5028571	95
5460	8	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	24 M	77.7485714	1866
5470	9	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	85.52	86
5480	10	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1 PCS	94.5028571	95
5490	11	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	18 M	77.7485714	1399
5500	12	1004265	KO-SAI HORIZONTAL FIXING UNIT	48 PCS	2.92571429	140
5510	13	3028940	KOA 0554-II-RD2-500 A-REDUCTION-4W	1 PCS	119.325714	119
5520	14	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	27 M	48.0111732	1296
5530	15	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	52.8044693	53
5540	16	3029904	KO-II-2AI/3Cu END CLOSER	1 PCS	12.9942857	13
5550	17	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	19 PCS	2.8603352	54
5560	18	3133021	KOP 0451-B1-M-P3-40 A-TAP-OFF BOX-(3x(1x32A)) ABB MCB (Equipped With 3PCS X 32A SP ABB(S201-C32)/MCB	30 PCS	82.8125	2484
5570	19	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36kA MCCB (ABB Brand))	3 PCS	225.486034	676
5580	20	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1 PCS	69.7877095	70
5590	21	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3 M	21.0949721	63
5600	22	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
5610	23	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	36 M	21.0949721	759
5620	24	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	25.3072626	51
5630	25	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	28 PCS	3.05142857	85
5640	26	3028220	KOA 0254-II-B1-250 A-FEEDER BOX-4W	1 PCS	88.6592179	89
5650	27	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	52.8044693	106
5660	31	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=500, Quantity=2)	1 M	52.8044693	53
5670	29	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1 PCS	68.9385475	69
5680	30	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	15 M	48.0111732	720
5690	31	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=2000, Quantity=1)	2 M	52.8044693	106
5700	32	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	18 PCS	2.8603352	51
5710	33	3027682	KOA 0254-II-T-250 A-"T" UNIT-4W	1 PCS	122.331429	122
5720	34	3028870	KOA 0254-II-RD1-250 A-REDUCTION-4W	1 PCS	81.0837989	81
5730	35	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	24 M	44.0111732	1056
5740	36	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=2000, Quantity=1)	2 M	48.4022346	97
5750	37	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	48.4022346	48
5760	38	3029902	KO-II-1AI/2Cu END CLOSER	1 PCS	12.5698324	13
5770	39	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	18 PCS	2.8603352	51
5780	40	3028870	KOA 0254-II-RD1-250 A-REDUCTION-4W	1 PCS	81.0837989	81
5790	41	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	6 M	44.0111732	264
5800	42	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=1500, Quantity=1)	1.5 M	48.4022346	73
5810	43	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	48.4022346	48
5820	44	3029902	KO-II-1AI/2Cu END CLOSER	1 PCS	12.5698324	13
5830	45	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	6 PCS	2.8603352	17

5840	46	3132895	KOP 0451-M-40 A-TAP-OFF BOX-3(1x20A) ABB MCB-5W	30	PCS	75.8857143	2277
5850	47	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36kA MCCB (ABB Brand))	1	PCS	225.486034	225
5860	48	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1	PCS	69.7877095	70
5870	49	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	21	M	21.0949721	443
5880	50	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
5890	51	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
5900	52	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6	M	25.3072626	15
5910	53	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
5920	54	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	24	M	21.0949721	506
5930	55	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	25.3072626	51
5940	56	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
5950	57	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
5960	58	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6	M	25.3072626	15
5970	59	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
5980	60	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	39	M	21.0949721	823
5990	61	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	62	PCS	3.05142857	189
6000	62	3024668	MKP 1654-M-16 A-TAP-OFF BOX-(3x16A) ABB MCB-4W	10	PCS	49.8742857	499
6010	63	3024674	MKP 1654-M-16 A-TAP-OFF BOX-(3x6A) ABB MCB-4W 1ST FL MACHINE&LIGHTING BBT 40A (BLDG-1)	20	PCS	49.8742857	997
6030	1	3025098	KAP 0405-BB-40 A-FEEDER BOX-5W	30	PCS	11.7094972	351
6040	2	3048647	KAP 0404-STD-40 A-STANDART LENGHT-6 WINDOW-4W	864	M	10.9371429	9450
6050	3	3025090	KAP 0404-X-40 A-SPECIAL LENGTH-4W (X=1000, Quantity=24)	24	M	11.0949721	266
6060	4	3025160	KAM-KAP MOUNTING JOINT SET	312	SET	1.27374302	397
6070	5	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	592	SET	1.19553073	708
6080	6	3024550	KAP-16 A TAP-OFF PLUG-L3	430	PCS	5.17318436	2224
6090	7	3024551	KAP-16 A TAP-OFF PLUG-L2	430	PCS	5.17318436	2224
6100	8	3024552	KAP-16 A TAP-OFF PLUG-L1	430	PCS	5.17318436	2224
6110	9	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET 1ST FL MACHINE&LIGHTING BBT 25A (BLDG-1)	1350	SET	0.72625698	980
6130	1	3025062	KAM 0205-BB-25 A-FEEDER BOX-5W	30	PCS	9.6424581	289
6140	2	3048572	KAM 0204-STD-25 A-STANDART LENGHT-6 WINDOW-4W	90	M	8	720
6150	3	3025046	KAM 0204-STD-25 A-STANDART LENGHT-4 WINDOW-4W	360	M	6.36871508	2293
6160	4	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W (X=2000, Quantity=3)	6	M	7.6424581	46
6170	5	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W (X=1500, Quantity=18)	27	M	7.6424581	206
6180	6	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W (X=1000, Quantity=18)	18	M	7.6424581	138
6190	7	3024547	KAM 10-B-10 A-TAP-OFF PLUG-L3	130	PCS	3.38547486	440
6200	8	3024548	KAM 10-B-10 A-TAP-OFF PLUG-L2	130	PCS	3.38547486	440
6210	9	3024549	KAM 10-B-10 A-TAP-OFF PLUG-L1	130	PCS	3.38547486	440
6220	10	3024613	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L123	40	PCS	9.10857143	364
6230	11	3024614	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L3	15	PCS	6.69714286	100
6240	12	3024615	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L2	15	PCS	6.69714286	100
6250	13	3024616	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L1	15	PCS	6.69714286	100
6260	14	3025160	KAM-KAP MOUNTING JOINT SET	189	SET	1.27374302	241
6270	15	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	334	SET	1.19553073	399
6280	16	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET 2ND FL POWER BBT 500A & 100A (BLDG-01)	780	SET	0.72625698	566
6300	1	3028250	KOA 0554-II-B1-500 A-FEEDER BOX-4W	1	PCS	106.331429	106
6310	2	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	6	M	77.7485714	466
6320	3	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5	M	85.52	43
6330	4	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
6340	5	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	24	M	77.7485714	1866
6350	6	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	85.52	171
6360	7	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6	M	85.52	51
6370	8	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
6380	9	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	3	M	77.7485714	233
6390	10	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=700, Quantity=1)	0.7	M	85.52	60
6400	11	3026832	KOA 0554-II-R-500 A-RIGHT ELBOW-4W	1	PCS	94.5028571	95
6410	12	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	24	M	77.7485714	1866
6420	13	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1	M	85.52	86
6430	14	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
6440	15	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	18	M	77.7485714	1399
6450	16	1004265	KO-SAI HORIZONTAL FIXING UNIT	48	PCS	2.92571429	140
6460	17	3028940	KOA 0554-II-RD2-500 A-REDUCTION-4W	1	PCS	119.325714	119
6470	18	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	27	M	48.0111732	1296
6480	19	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1	M	52.8044693	53
6490	20	3029904	KO-II-2AI/3Cu END CLOSER	1	PCS	12.9942857	13
6500	21	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	19	PCS	2.8603352	54
6510	22	3133021	KOP 0451-B1-M-P3-40 A-TAP-OFF BOX-(3x(1x32A)) ABB MCB (Equipped With 3PCS X 32A SP ABB(S201-C32)/MCB	30	PCS	82.8125	2484
6520	23	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36kA MCCB (ABB Brand))	3	PCS	225.486034	676
6530	24	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1	PCS	69.7877095	70
6540	25	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
6550	26	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
6560	27	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	36	M	21.0949721	759
6570	28	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	25.3072626	51
6580	29	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	28	PCS	3.05142857	85
6590	30	3028220	KOA 0254-II-B1-250 A-FEEDER BOX-4W	1	PCS	88.6592179	89
6600	31	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2	M	52.8044693	106
6610	32	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=500, Quantity=2)	1	M	52.8044693	53
6620	33	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	1	PCS	68.9385475	69
6630	34	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	15	M	48.0111732	720
6640	35	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W (X=2000, Quantity=1)	2	M	52.8044693	106
6650	36	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	18	PCS	2.8603352	51
6660	37	3027682	KOA 0254-II-T-250 A-T' UNIT-4W	1	PCS	122.331429	122
6670	38	3028870	KOA 0254-II-RD1-250 A-REDUCTION-4W	1	PCS	81.0837989	81
6680	39	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	24	M	44.0111732	1056
6690	40	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W (X=2000, Quantity=1)	2	M	48.4022346	97
6700	41	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W	1	M	48.4022346	48

(X=1000, Quantity=1)							
6710	42	3029902	KO-II-1AI/2Cu END CLOSER	1	PCS	12.5698324	13
6720	43	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	18	PCS	2.8603352	51
6730	44	3028870	KOA 0254-II-RD1-250 A-REDUCTION-4W	1	PCS	81.0837989	81
6740	45	3026352	KOA 0154-II-STD-160 A-PLUG-IN-STANDARD LENGTH-4W	6	M	44.0111732	264
6750	46	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W	1.5	M	48.4022346	73
(X=1500, Quantity=1)							
6760	47	3026462	KOA 0154-II-X-160 A-PLUG-IN-SPECIAL LENGTH-4W	1	M	48.4022346	48
(X=1000, Quantity=1)							
6770	48	3029902	KO-II-1AI/2Cu END CLOSER	1	PCS	12.5698324	13
6780	49	1004275	KO-1AI/2Cu HORIZONTAL FIXING UNIT	6	PCS	2.8603352	17
6790	50	3132895	KOP 0451-M-40 A-TAP-OFF BOX-3(1x20A) ABB MCB-5W	30	PCS	75.8857143	2277
6800	51	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36ka MCCB (ABB Brand))	1	PCS	225.486034	225
6810	52	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1	PCS	69.7877095	70
6820	53	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	21	M	21.0949721	443
6830	54	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
6840	55	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
6850	56	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W	0.6	M	25.3072626	15
(X=600, Quantity=1)							
6860	57	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
6870	58	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	24	M	21.0949721	506
6880	59	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W	2	M	25.3072626	51
(X=1000, Quantity=2)							
6890	60	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
6900	61	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
6910	62	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W	0.6	M	25.3072626	15
(X=600, Quantity=1)							
6920	63	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
6930	64	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	39	M	21.0949721	823
6940	65	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	62	PCS	3.05142857	189
6950	66	3024668	MKP 1654-M-16 A-TAP-OFF BOX-(3x16A) ABB MCB-4W	10	PCS	49.8742857	499
6960	67	3024674	MKP 1654-M-16 A-TAP-OFF BOX-(3x6A) ABB MCB-4W 2ND FL MACHINE&LIGHTING BBT 40A (BLDG-1)	20	PCS	49.8742857	997
6980	1	3025098	KAP 0405-BB-40 A-FEEDER BOX-5W	30	PCS	11.7094972	351
6990	2	3048647	KAP 0404-STD-40 A-STANDART LENGHT-6 WINDOW-4W	864	M	10.9371429	9450
7000	3	3025090	KAP 0404-X-40 A-SPECIAL LENGTH-4W	24	M	11.0949721	266
(X=1000, Quantity=24)							
7010	4	3025160	KAM-KAP MOUNTING JOINT SET	312	SET	1.27374302	397
7020	5	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	592	SET	1.19553073	708
7030	6	3024550	KAP-16 A TAP-OFF PLUG-L3	430	PCS	5.17318436	2224
7040	7	3024551	KAP-16 A TAP-OFF PLUG-L2	430	PCS	5.17318436	2224
7050	8	3024552	KAP-16 A TAP-OFF PLUG-L1	430	PCS	5.17318436	2224
7060	9	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET 2ND FL MACHINE&LIGHTING BBT 25A (BLDG-1)	1350	SET	0.72625698	980
7080	1	3025062	KAM 0205-BB-25 A-FEEDER BOX-5W	30	PCS	9.6424581	289
7090	2	3048572	KAM 0204-STD-25 A-STANDART LENGHT-6 WINDOW-4W	90	M	8	720
7100	3	3025046	KAM 0204-STD-25 A-STANDART LENGHT-4 WINDOW-4W	360	M	6.36871508	2293
7110	4	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W	6	M	7.6424581	46
(X=2000, Quantity=3)							
7120	5	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W	27	M	7.6424581	206
(X=1500, Quantity=18)							
7130	6	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W	18	M	7.6424581	138
(X=1000, Quantity=18)							
7140	7	3024547	KAM 10-B-10 A-TAP-OFF PLUG-L3	130	PCS	3.38547486	440
7150	8	3024548	KAM 10-B-10 A-TAP-OFF PLUG-L2	130	PCS	3.38547486	440
7160	9	3024549	KAM 10-B-10 A-TAP-OFF PLUG-L1	130	PCS	3.38547486	440
7170	10	3024613	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L123	40	PCS	9.10857143	364
7180	11	3024614	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L3	15	PCS	6.69714286	100
7190	12	3024615	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L2	15	PCS	6.69714286	100
7200	13	3024616	KAM 16-K-16 A-NEW TAP-OFF PLUG WITH CLIPS-L1	15	PCS	6.69714286	100
7210	14	3025160	KAM-KAP MOUNTING JOINT SET	189	SET	1.27374302	241
7220	15	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	334	SET	1.19553073	399
7230	16	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET 3RD FL POWER BBT 500A & 100A (BLDG-01)	780	SET	0.72625698	566
7250	1	3028250	KOA 0554-II-B1-500 A-FEEDER BOX-4W	1	PCS	106.331429	106
7260	2	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	6	M	77.7485714	466
7270	3	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	0.5	M	85.52	43
(X=500, Quantity=1)							
7280	4	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
7290	5	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	36	M	77.7485714	2799
7300	6	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	1	M	85.52	86
(X=1000, Quantity=1)							
7310	7	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	0.6	M	85.52	51
(X=600, Quantity=1)							
7320	8	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
7330	9	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	3	M	77.7485714	233
7340	10	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	0.7	M	85.52	60
(X=700, Quantity=1)							
7350	11	3026832	KOA 0554-II-R-500 A-RIGHT ELBOW-4W	1	PCS	94.5028571	95
7360	12	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	12	M	77.7485714	933
7370	13	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	1	M	85.52	86
(X=1000, Quantity=1)							
7380	14	3026502	KOA 0554-II-X-500 A-PLUG-IN-SPECIAL LENGTH-4W	0.5	M	85.52	43
(X=500, Quantity=1)							
7390	15	3026942	KOA 0554-II-L-500 A-LEFT ELBOW-4W	1	PCS	94.5028571	95
7400	16	3026392	KOA 0554-II-STD-500 A-PLUG-IN-STANDARD LENGTH-4W	18	M	77.7485714	1399
7410	17	1004265	KO-SAI HORIZONTAL FIXING UNIT	48	PCS	2.92571429	140
7420	18	3028940	KOA 0554-II-RD2-500 A-REDUCTION-4W	1	PCS	119.325714	119
7430	19	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	27	M	48.0111732	1296
7440	20	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W	1	M	52.8044693	53
(X=1000, Quantity=1)							
7450	21	3029904	KO-II-2AI/3Cu END CLOSER	1	PCS	12.9942857	13
7460	22	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	19	PCS	2.8603352	54
7470	23	3133021	KOP 0451-B1-M-P3-40 A-TAP-OFF BOX-(3x(1x32A)) ABB MCB (Equipped With 3PCS X 32A SP ABB(S201-C32)/MCB	15	PCS	82.8125	1242
7480	24	3132895	KOP 0451-M-40 A-TAP-OFF BOX-3(1x20A) ABB MCB-5W (Equipped With 3PCS X 20A SP ABB(S201-C20)/MCB	15	PCS	75.8857143	1138
7490	25	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W (Equipped with XT1N 100A TP 36ka MCCB (ABB Brand))	3	PCS	225.486034	676
7500	26	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1	PCS	69.7877095	70
7510	27	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3	M	21.0949721	63
7520	28	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1	PCS	92.0111732	92
7530	29	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	36	M	21.0949721	759
7540	30	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W	2	M	25.3072626	51
(X=1000, Quantity=2)							
7550	31	2052178	MK FIXING UNIT 'UT' TYPE (PAINTED)	28	PCS	3.05142857	85
7560	32	3024735	MKA 1654-B1-160 A-FEEDER BOX-4W	1	PCS	69.7877095	70
7570	33	3024741	MKA 1654-STD-160 A-STANDARD LENGTH-4W	3	M	23.273743	70

7580	34	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	28.5714286	29
7590	35	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W (X=500, Quantity=1)	0.5 M	28.5714286	14
7600	36	3024724	MKC 2254-FD-225 A-FLEXIBLE ELBOW-4W	1 PCS	171.862857	172
7610	37	3024741	MKA 1654-STD-160 A-STANDARD LENGTH-4W	33 M	23.273743	768
7620	38	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	28.5714286	57
7630	39	3024724	MKC 2254-FD-225 A-FLEXIBLE ELBOW-4W	1 PCS	171.862857	172
7640	40	3024741	MKA 1654-STD-160 A-STANDARD LENGTH-4W	3 M	23.273743	70
7650	41	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W (X=1000, Quantity=1)	1 M	28.5714286	29
7660	42	3024724	MKC 2254-FD-225 A-FLEXIBLE ELBOW-4W	1 PCS	171.862857	172
7670	43	3024741	MKA 1654-STD-160 A-STANDARD LENGTH-4W	6 M	23.273743	140
7680	44	3024710	MKA 1654-X-160 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	28.5714286	57
7690	45	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
7700	46	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	24 M	21.0949721	506
7710	47	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	25.3072626	51
7720	48	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
7730	49	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3 M	21.0949721	63
7740	50	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	25.3072626	15
7750	51	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
7760	52	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	24 M	21.0949721	506
7770	53	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	25.3072626	51
7780	54	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
7790	55	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	3 M	21.0949721	63
7800	56	3024396	MKA 1054-X-100 A-SPECIAL LENGTH-4W (X=600, Quantity=1)	0.6 M	25.3072626	15
7810	57	3024723	MKC 1054-FD-100 A-FLEXIBLE ELBOW-4W	1 PCS	92.0111732	92
7820	58	3024402	MKA 1054-STD-100 A-STANDARD LENGTH-4W	39 M	21.0949721	823
7830	59	2052178	MK FIXING UNIT "UT" TYPE (PAINTED)	100 PCS	3.05142857	305
7840	60	3024668	MKP 1654-M-16 A-TAP-OFF BOX-(3x16A) ABB MCB-4W (Equipped With 1PCS X 16A TP ABB(S203-C16)MCB)	10 PCS	49.8742857	499
7850	61	3024674	MKP 1654-M-16 A-TAP-OFF BOX-(3x6A) ABB MCB-4W (Equipped With 1PCS X 6A TP ABB(S203-C6)MCB For Exhaust) 3RD FL MACHINE&LIGHTING BBT 40A (BLDG-1)	20 PCS	49.8742857	997
7870	1	3025098	KAP 0405-BB-40 A-FEEDER BOX-5W	15 PCS	11.7094972	176
7880	2	3048647	KAP 0404-STD-40 A-STANDART LENGHT-6 WINDOW-4W	468 M	10.9371429	5119
7890	3	3025090	KAP 0404-X-40 A-SPECIAL LENGTH-4W (X=1000, Quantity=12)	12 M	11.0949721	133
7900	4	3025160	KAM-KAP MOUNTING JOINT SET	168 SET	1.27374302	214
7910	5	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	320 SET	1.19553073	383
7920	6	3024550	KAP-16 A TAP-OFF PLUG-L3	220 PCS	5.17318436	1138
7930	7	3024551	KAP-16 A TAP-OFF PLUG-L2	220 PCS	5.17318436	1138
7940	8	3024552	KAP-16 A TAP-OFF PLUG-L1	220 PCS	5.17318436	1138
7950	9	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET 3RD FL MACHINE&LIGHTING BBT 25A (BLDG-1)	750 SET	0.72625698	545
7970	1	3025062	KAM 0205-BB-25 A-FEEDER BOX-5W	15 PCS	9.6424581	145
7980	2	3025046	KAM 0204-STD-25 A-STANDART LENGHT-4 WINDOW-4W	468 M	6.36871508	2981
7990	3	3025048	KAM 0204-X-25 A-SPECIAL LENGTH-4W (X=1000, Quantity=12)	12 M	7.6424581	92
8000	4	3025160	KAM-KAP MOUNTING JOINT SET	168 SET	1.27374302	214
8010	5	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	320 SET	1.19553073	383
8020	6	3024547	KAM 10-B-10 A-TAP-OFF PLUG-L3	120 PCS	3.38547486	406
8030	7	3024548	KAM 10-B-10 A-TAP-OFF PLUG-L2	120 PCS	3.38547486	406
8040	8	3024549	KAM 10-B-10 A-TAP-OFF PLUG-L1	120 PCS	3.38547486	406
8050	9	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET CUTTING BBT FOR ETP BUILDING+ 800A	720 SET	0.72625698	523
8070	1	3025149	TB FEEDER UNIT	3 PCS	16.8	50
8080	2	3025004	TB 034 TROLLEY BUSBAR (4P-35A)	52 M	28	1456
8090	3	1004256	TB JOINT UNIT	16 SET	2.8	45
8100	4	1004257	TB SLIDING HANGER	42 SET	1.6	67
8110	5	3025147	TB END CLOSER	3 PCS	5.6	17
8120	6	3025145	TB CURRENT COLLECTOR (4P-35A)	6 PCS	72	432
8130	7	3025151	TB CONDUCTOR CASLETTE	1 PCS	21.6	22
8140	8	3025143	TB CONDUCTOR MOUNTING TOOL	1 PCS	10.4	10
8150	9	3046194	KBA 0850-L-800 A-BOLT-ON-LEFT ELBOW-4W	3 PCS	162.8875	489
8160	10	3042481	KBA 0850-R-800 A-BOLT-ON-RIGHT ELBOW-4W	3 PCS	162.8875	489
8170	11	3046206	KBA 0850-U-800 A-BOLT-ON-UPWARDS ELBOW-4W	3 PCS	123.7625	371
8180	12	3042019	KBA 0850-D-800 A-BOLT-ON-DOWNWARDS ELBOW-4W	3 PCS	123.7625	371
8190	13	3046170	KBA 0850-P11-800 A-BOLT-ON-PANEL CONNECTION-4W POWER BBT-2000A(OLD D.G-220KW PNL>800KW IP55	1 PCS	85.05	85
8220	1	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	1 PCS	220.445714	220
8230	2	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1600, Quantity=1)	1.6 M	226.262857	362
8240	3	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	1 PCS	266.811429	267
8250	4	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1200, Quantity=1)	1.2 M	226.262857	272
8260	5	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=440, Quantity=1)	0.44 M	226.262857	100
8270	6	3012069	KXA 20504-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	1 PCS	347.897143	348
8280	7	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	9 M	207.611429	1869
8290	8	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1000, Quantity=2)	2 M	226.262857	453
8300	9	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=700, Quantity=1) IP67	0.7 M	226.262857	158
8320	1	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=800, Quantity=2)	1.6 M	254	406
8330	2	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY (X=800, Quantity=2)	1.6 M	41.1771429	66
8340	3	3018873	KXA 20604-B-L-2000 A-BOLT-ON-LEFT ELBOW-4W	1 PCS	390.548571	391
8350	4	3025261	KX-20-21A/25-26C-HORIZONTAL ELBOW CANOPY	1 PCS	28.2857143	28
8360	5	3018453	KXA 20604-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	45 M	233.051429	10487
8370	6	3025226	KX-20-21A/25-26C-STANDARD LENGTH CANOPY	45 M	41.1771429	1853
8380	7	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=1170, Quantity=1)	1.17 M	254	297
8390	8	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY (X=1170, Quantity=1)	1.17 M	41.1771429	48
8400	9	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W (X=430, Quantity=2)	0.86 M	254	218
8410	10	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY	0.86 M	41.1771429	35

			(X=430, Quantity=2)				
8420	11	3018789	KXA 20604-B-R-2000 A-BOLT-ON-RIGHT ELBOW-4W	2	PCS	385.0875	770
8430	12	3025261	KX-20-21A/25-26C-HORIZONTAL ELBOW CANOPY	1	PCS	28.2857143	28
8440	13	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W	0.7	M	254	178
			(X=350, Quantity=2)				
8450	14	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY	0.7	M	41.1771429	29
			(X=350, Quantity=2)				
8460	15	3018873	KXA 20604-B-L-2000 A-BOLT-ON-LEFT ELBOW-4W	1	PCS	390.548571	391
8470	16	3025261	KX-20-21A/25-26C-HORIZONTAL ELBOW CANOPY	1	PCS	28.2857143	28
8480	17	3018453	KXA 20604-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	21	M	233.051429	4894
8490	18	3025226	KX-20-21A/25-26C-STANDARD LENGTH CANOPY	21	M	41.1771429	865
8500	19	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W	2	M	254	508
			(X=1000, Quantity=2)				
8510	20	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY	2	M	41.1771429	82
			(X=1000, Quantity=2)				
8520	21	3018873	KXA 20604-B-L-2000 A-BOLT-ON-LEFT ELBOW-4W	1	PCS	390.548571	391
8530	22	3025261	KX-20-21A/25-26C-HORIZONTAL ELBOW CANOPY	1	PCS	28.2857143	28
8540	23	3018492	KXA 20604-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W	0.76	M	254	193
			(X=760, Quantity=1)				
8550	24	3025296	KX-20-21A/25-26C-SPECIAL LENGTH CANOPY	0.76	M	41.1771429	31
			(X=760, Quantity=1)				
			IP55				
8570	1	3011592	KXA 20504-B-STD-2000 A-BOLT-ON-STANDARD LENGTH-4W	3	M	207.611429	623
8580	2	3011985	KXA 20504-B-D-2000 A-BOLT-ON-DOWNWARDS ELBOW-4W	2	PCS	266.811429	534
8590	3	3011667	KXA 20504-B-X-2000 A-BOLT-ON-SPECIAL LENGTH-4W	1.4	M	226.262857	317
			(X=1400, Quantity=1)				
8600	4	3015597	KXA 20504-B-B11-2000 A-BOLT-ON-FEEDER BOX-4W	1	PCS	332.4	332
8601	0	3013917	KXA 20504-B-P11-2000 A-BOLT-ON-PANEL CONNECTION-4W	0	PCS	220.445714	
			POWER BBT-3200A(SYNC CP TONEW 1500KW GAS				
8620	1	3015609	KXA 33504-B-B11-3200 A-BOLT-ON-FEEDER BOX-4W	1	PCS	536.731429	537
8621	0	3013929	KXA 33504-B-P11-3200 A-BOLT-ON-PANEL CONNECTION-4W	0	PCS	392.994286	
8630	2	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	0.6	M	361.885714	217
			(X=600, Quantity=1)				
8640	3	3011997	KXA 33504-B-D-3200 A-BOLT-ON-DOWNWARDS ELBOW-4W	1	PCS	424.902857	425
8650	4	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	0.89	M	361.885714	322
			(X=890, Quantity=1)				
8660	5	3012081	KXA 33504-B-R-3200 A-BOLT-ON-RIGHT ELBOW-4W	1	PCS	555.177143	555
8670	6	3011616	KXA 33504-B-STD-3200 A-BOLT-ON-STANDARD LENGTH-4W	15	M	327.828571	4917
8680	7	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	1	M	361.885714	362
			(X=1000, Quantity=1)				
8690	8	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	1.32	M	361.885714	478
			(X=1320, Quantity=1)				
8700	9	3012081	KXA 33504-B-R-3200 A-BOLT-ON-RIGHT ELBOW-4W	1	PCS	555.177143	555
8710	10	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	2	M	361.885714	724
			(X=2000, Quantity=1)				
8720	11	3011691	KXA 33504-B-X-3200 A-BOLT-ON-SPECIAL LENGTH-4W	0.45	M	361.885714	163
			(X=450, Quantity=1)				
8730	12	3012165	KXA 33504-B-L-3200 A-BOLT-ON-LEFT ELBOW-4W	1	PCS	555.177143	555
8740	13	3011997	KXA 33504-B-D-3200 A-BOLT-ON-DOWNWARDS ELBOW-4W	1	PCS	424.902857	425
8750	14	3013845	KXA 33504-B-P10-3200 A-BOLT-ON-PANEL CONNECTION-4W	1	PCS	276.742857	277
			3100A BBT RENOVATION (FOR BRIDGE WORK)				
8770	1	3041742	KBA 3062-B-U-3100 A-FEEDER-UPWARDS ELBOW-4W	1	PCS	612.6625	613
8780	2	3025252	KB 30AI/40Cu/44CuII VERTICAL ELBOW CANOPY	1	PCS	26.65	27
8790	3	3045263	KBA 3062-B-X-3100 A-FEEDER-SPECIAL LENGTH-4W	1	M	521.5	522
			(X=1000, Quantity=1)				
8800	4	3025286	KB 30AI/40Cu/44CuII SPECIAL LENGTH CANOPY	1	M	52.4625	52
			(X=1000, Quantity=1)				
8810	5	3041863	KBA 3062-B-D-3100 A-FEEDER-DOWNWARDS ELBOW-4W	1	PCS	612.6625	613
8820	6	3025252	KB 30AI/40Cu/44CuII VERTICAL ELBOW CANOPY	1	PCS	26.65	27
8830	7	3045263	KBA 3062-B-X-3100 A-FEEDER-SPECIAL LENGTH-4W	1.7	M	521.5	887
			(X=1700, Quantity=1)				
8840	8	3025286	KB 30AI/40Cu/44CuII SPECIAL LENGTH CANOPY	1.7	M	52.4625	89
			(X=1700, Quantity=1)				
8850	9	3041863	KBA 3062-B-D-3100 A-FEEDER-DOWNWARDS ELBOW-4W	1	PCS	612.6625	613
8860	10	3025252	KB 30AI/40Cu/44CuII VERTICAL ELBOW CANOPY	1	PCS	26.65	27
8870	11	3045263	KBA 3062-B-X-3100 A-FEEDER-SPECIAL LENGTH-4W	1	M	521.5	522
			(X=1000, Quantity=1)				
8880	12	3025286	KB 30AI/40Cu/44CuII SPECIAL LENGTH CANOPY	1	M	52.4625	52
			(X=1000, Quantity=1)				
8890	13	3041742	KBA 3062-B-U-3100 A-FEEDER-UPWARDS ELBOW-4W	1	PCS	612.6625	613
8900	14	3025252	KB 30AI/40Cu/44CuII VERTICAL ELBOW CANOPY	1	PCS	26.65	27
8910	15	3045263	KBA 3062-B-X-3100 A-FEEDER-SPECIAL LENGTH-4W	1	M	521.5	522
			(X=500, Quantity=2)				
8920	16	3025286	KB 30AI/40Cu/44CuII SPECIAL LENGTH CANOPY	1	M	52.4625	52
			(X=500, Quantity=2)				
8930	17	3028240	KOA 0454-II-B1-400 A-FEEDER BOX-4W	3	PCS	99.1771429	298
8940	18	3029908	KO-II-4AI/6Cu END CLOSER	2	PCS	13.1	26
8950	19	3028220	KOA 0254-II-B1-250 A-FEEDER BOX-4W	6	PCS	88.6592179	532
8960	20	3026362	KOA 0254-II-STD-250 A-PLUG-IN-STANDARD LENGTH-4W	60	M	48.0111732	2881
8970	21	3026472	KOA 0254-II-X-250 A-PLUG-IN-SPECIAL LENGTH-4W	5	M	52.8044693	264
			(X=1000, Quantity=5)				
8980	22	3026912	KOA 0254-II-L-250 A-LEFT ELBOW-4W	2	PCS	68.9385475	138
8990	23	3026802	KOA 0254-II-R-250 A-RIGHT ELBOW-4W	2	PCS	68.9385475	138
9000	24	3029904	KO-II-2AI/3Cu END CLOSER	4	PCS	12.9942857	52
9010	25	1004278	KO-2AI/3Cu HORIZONTAL FIXING UNIT	40	PCS	2.8603352	114
9020	26	3025100	KAP 0605-BB-63 A-FEEDER BOX-5W	30	PCS	15.7877095	474
9030	27	3048651	KAP 0604-STD-63 A-STANDART LENGHT-6 WINDOW-4W	351	M	15.2571429	5355
9040	28	3025094	KAP 0604-X-63 A-SPECIAL LENGTH-4W	36	M	16.5142857	595
			(X=1000, Quantity=36)				
9050	29	3025098	KAP 0405-BB-40 A-FEEDER BOX-5W	10	PCS	11.7094972	117
9060	30	3048647	KAP 0404-STD-40 A-STANDART LENGHT-6 WINDOW-4W	162	M	10.9371429	1772
9070	31	3025090	KAP 0404-X-40 A-SPECIAL LENGTH-4W	9	M	11.0949721	100
			(X=1000, Quantity=9)				
9080	32	1004283	KAM/KAP/DL-FIXING BRACKET "L" TYPE	492	SET	1.19553073	588
9090	33	1004874	KAM/KAP/DL FIXTURE FITTING/TRUNKING SUSPENSION BRACKET	2400	SET	0.72625698	1743
9100	34	3030192	KOP 1651-II-160 A-PLUG-IN-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W	10	PCS	225.486034	2255
9110	35	3024718	MKP 8054-B-80 A-TAP-OFF BOX-EMPTY-SUITABLE FOR MCB-4W	20	PCS	59.0375	1181
9120	36	3024665	MKP 4054-B-40 A-TAP-OFF BOX-EMPTY-SUITABLE FOR MCB-4W	50	PCS	67.575419	3379
9130	37	3016500	KXB 6351-630 A-BOLT-ON-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W	2	PCS	416.925	834
9140	38	3016492	KXB 4051-400 A-BOLT-ON-TAP-OFF BOX-EMPTY-3P-SUITABLE FOR MCCB-5W	2	PCS	323	646
			CUTTING BBT FOR TROUSERS				
9160	1	3025149	TB FEEDER UNIT	5	PCS	16.8	84
9170	2	3025004	TB 034 TROLLEY BUSBAR (4P-35A)	152	M	28	4256
9180	3	1004256	TB JOINT UNIT	43	SET	2.8	120
9190	4	1004257	TB SLIDING HANGER	116	SET	1.6	186

9200	5	3025147	TB END CLOSER	5 PCS	5.6	28
9210	6	3025145	TB CURRENT COLLECTOR (4P-35A)	49 PCS	72	3528
9220	7	3025151	TB CONDUCTOR CASSETTE	2 PCS	21.6	43
9230	8	3025143	TB CONDUCTOR MOUNTING TOOL	1 PCS	10.4	10
						397041.4584