

## Sohel Uddin Bhuiyan

---

**From:** Dell Reyal <dell.reyal@gmail.com>  
**Sent:** Tuesday, April 27, 2021 3:16 PM  
**To:** Sohel Uddin Bhuiyan  
**Subject:** Re: Offer of 60KVA Diesel Generator

Hello Mr.Sohel,

Thank you for your email. I have read through the offer and details of the generator.

I am happy with the offer that you have provided.

I'd advise you to move forward with the order confirmation. As it needs to be installed by 30th April.

I'll update you with the payment option in few hours.

Thank you  
Dell.

Sent by Dell from iPhone


On 27 Apr 2021, at 12:10 pm, Sohel Uddin Bhuiyan <sohel@cross-world.com> wrote:

Dear Sir,

As discussed with you, please see the attached herewith revise financial offer for your kind consideration.

Thanks & regards,

**Sohel Uddin Bhuiyan | CROSS WORLD POWER LIMITED** | Manager, Sales | Plot-1/B, Road 90, Gulshan - 2, Dhaka 1212, Bangladesh | **Cell: 01755514780** | p: +880 2 5881 1858, 989 1442 | f: +880 2 5881 5160 | e: [sohel@cross-world.com](mailto:sohel@cross-world.com) | w: [www.cross-world.com](http://www.cross-world.com)

 please consider the environment before printing this email

This communication contains information which is confidential and may also be privileged. It is for the exclusive use of the intended recipient(s).

<image001.jpg>

**From:** Sohel Uddin Bhuiyan [mailto:[sohel@cross-world.com](mailto:sohel@cross-world.com)]  
**Sent:** Saturday, April 24, 2021 3:52 PM  
**To:** 'dell.reyal@gmail.com'  
**Subject:** Offer of 60KVA Diesel Generator

Dear Sir,

Greeting from Cross World Power Ltd.

We value your trust on us and grateful for the opportunity provided to offer on your esteemed project.  
Here the attached herewith financial & technical offer of **60KVA(Prime), 66KVA(Stand by)** diesel generator.


The product description at a glance:

<b>BRAND</b>	<b>BIDEFORD (UK)</b>
<b>ENGINE</b>	<b>PERKINS- UK</b>
<b>ALTERNATOR</b>	<b>MECC ALTE-UK</b>
<b>CONTROL MODULE</b>	<b>DEEP SEA (UK)</b>
<b>COUNTRY OF ORIGIN</b>	<b>UK</b>
<b>SHIPMENT</b>	<b>FELIXSTOWE PORT (UK)</b>

Feel free to contact with us for any of your further queries.

Thanks & regards,

**Sohel Uddin Bhuiyan | CROSS WORLD POWER LIMITED** | Manager, Sales | Plot-1/B, Road 90, Gulshan - 2, Dhaka 1212, Bangladesh | **Cell: 01755514780** | p: +880 2 5881 1858, 989 1442 | f: +880 2 5881 5160 | e: [sohel@cross-world.com](mailto:sohel@cross-world.com) | w: [www.cross-world.com](http://www.cross-world.com)

 please consider the environment before printing this email

This communication contains information which is confidential and may also be privileged. It is for the exclusive use of the intended recipient(s).

<image001.jpg>



This email has been checked for viruses by AVG antivirus software.  
[www.avg.com](http://www.avg.com)

<60KVA-Financial\_offer.pdf>  
<60KVA-Technical\_offer.pdf>



# CROSS WORLD POWER LIMITED

## BOQ OF 1X60KVA GENERATOR



CLIENT - ADDRESS- DATE: 24/04/2021

SL NO	JOB DESCRIPTION	TECHNICAL DETAILS/ BRAND	SCOPE OF SUPPLY	UOM	QTY	UNIT RATE	TOTAL RATE	REMARKS
1	Electrical System:							
1.1	Power Cable (35 °C Ambient on air )	4X1C- 25 mm NYY DG To ATS 4X1C- 25 mm NYY Mains To ATS 4X1C- 25 mm NYY ATS To Load		Meter	N/A		-	Existing Cable will used
1.2	Power Cable Lugs	25 mm, Material -Copper, Surface-Electro Tinned 4 X 1.2 mm (40/0.19 mm)Flexible Cable (2XDG to ATS)		Pcs	10	24	240	
1.3	Control cable For Sensing			Meter	18	90	1,646	
1.7	PVC Tape	Adhesive Tape 04 color (Red/Yellow/Black/Blue)		Pcs	8	29	232	
1.8	Royal Bolt	10 no.		Pcs	10	18	180	
1.9	Cable Tie	L - 8"		Pack	1	138	138	
2	Generator Earthing :						-	
2.1	Earthing Boring	100 rft		Job	1	7,237		
2.2	Earthing Copper Lead	2 SWG		Meter	33	427		
2.3	GI Pipe (Boring)	38mm dia 120		Meter	7	500		
2.4	Earthing Block	Dimension LXWXD - 200mm X 30mm X 4mm with connection facility		Pc	1	1,974		Existing Cable will used
2.5	Earthing Cable	1 X 16 mm BYA (Green ) from Earthing Copper bar to gen & equipment		Meter	4	194		
2.6	Earthing Cable lugs	16 mm Material -Copper, Surface-Electro Tinned		Pcs	6	11		
3	Exhaust System:							
3.1	Exhaust Silencer straight Pipe	MS Pipe bore 3", thickness 3-4mm		Meter	4	1,726	6,904	
3.2	Exhaust Bends /Elbow	Long radius 90 deg L bow 3"		Pcs	1	724	724	
3.3	Exhaust Socket	Threaded 3"dia MS Socket		Pcs	1	592	592	
3.4	Exhaust Heat Insulation with silencer box	Insulation Of Pipe with Glasswool (25.4mm min thickness) along with 26SWG Aluminium sheet cladding.		Job	1	4,046	4,046	
3.6	Exhaust Fitting with silencer box	All bracket , support must be made with MS angle 50X50X 4, 5 & 6 MM		Job	1	3,044	3,044	
4	Cooling System:							
4.1	Radiator Ducting	As per layout with 22 SWG MS sheet,Angle bar, flat bar support,Canvas cloth etc WXH=3'X2.3' L=5'		Sq-ft	40	240	9,600	Hot air need to front exit
5	Commissioning Material:							
5.1	Radiator coolant	Havoline premix coolant		Liter	15	160		
5.2	Lube oil	SAE 15 W 40		Liter	10	400		
5.3	Battery electrolyte	Specific gravity 1250		Liter	10	90		
6	DG On site delivery:							
6.1	Loading /Unloading/Lifting	Generator dry weight-2200 Kg		Job	1		-	
7	Civil work							
7.1	Required DG base	Base dimension LXW/(ft)=9'4"x4'4", Depth, D- 5" RCC with NCF.	CLIENT	Job	1		-	
TOTAL TK.(excluding VAT & ATT)							27,346	

NOTES: All the necessary civil works and Diesel Fuel will be arranged by client with CWPL engineer instruction.